



SILTECH CORP.

Safety Data Sheet

Prepared in accordance with GHS standard
& Annex II - EC regulation 1907/2006 and amendments

Siltech 105
SDS No: 6028

Last Revision Date: April 24, 2013

SECTION 1. IDENTIFICATION

Material Identification: Siltech 105

Chemical Name: Dimethiconol in Cyclopentasiloxane

Chemical Classification: Silicone

CAS #: 541-02-6 / 70131-67-8

INCI Name: Cyclopentasiloxane (and) Dimethiconol

Company Identification: Siltech Corp.

225 Wicksteed Avenue

Toronto, Ontario

Canada

M4H 1G5

(416) 424-4567

Recommended Product Usage

Personal Care additive

Silicone surfactant

CANUTEC 24-HOUR EMERGENCY RESPONSE TELEPHONE NUMBER: (613) 996-6666

USE IN CASE OF A DANGEROUS GOODS EMERGENCY

SECTION 2. HAZARD(S) IDENTIFICATION

HAZARD CLASSIFICATION:

Not Hazardous.

GHS LABEL ELEMENTS (including precautionary statements):

Symbol : None.

Signal Word: None.

Hazard Risk Statement: Not Hazardous.

Precautionary Statement:

Prevention: P262: Do not get in eyes, on skin or on clothing.

Response: P305 + P351: IF IN EYES: Rinse with water for several minutes. Repeat if needed.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

Storage: P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal: P501: Dispose of contents/container in accordance with local / regional / national / international regulations.

OTHER HAZARD (risk not included in classification):

Vapours may form explosive mixtures with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Chemical Name</u> | <u>Common Name or Synonym</u> | <u>CAS No.</u> | <u>EINECS/ ELINCS No.</u> | <u>% (w/w)</u> | <u>GHS Classification</u> | <u>Classification according to Directive 67-548/EEC</u> |
|------------------------------|-----------------------------------|--------------------|-------------------------------|----------------|---------------------------|---|
| Decamethylcyclopentasiloxane | D5 | 541-02-6 | 208-764-9 | > 60.0 | Not hazardous | Not hazardous |

Other ingredients not listed in this section are non-hazardous or business confidential.

SECTION 4. FIRST AID MEASURES

Eyes No first aid should be needed. If discomfort occurs, flush with water.

Skin: No first aid should be needed.

Inhalation: No first aid should be needed. If discomfort occurs, remove to fresh air.

Ingestion: No first aid should be needed. If discomfort occurs, obtain medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Carbon dioxide, dry powder, foam, or water spray. Water can be used to cool fire exposed containers.

Unsuitable Extinguishing Media: None known.

Specific Hazards Arising from the Chemical: Silicon Dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

Special Protective Actions for Fire-Fighters: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid eye and skin contact. Use personal protective equipment.

Environmental Precautions: Prevent from entering drains or water sources.

Containment/Clean up: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

SECTION 7. HANDLING AND STORAGE

Handling Precautions: Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

Storage Conditions: Keep container tightly closed and away from oxidizing materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMIT VALUES / BIOLOGICAL LIMIT VALUES:

Industrial Hygiene Standards

| <u>Ingredient</u> | <u>CAS No.</u> | <u>Exposure Limit</u> |
|-------------------|----------------|-----------------------|
| None known. | | |

ENGINEERING CONTROLS:

Local Ventilation: None should be needed.

General ventilation: Recommended.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory protection: In the case of vapour formation use a respirator with an approved filter.

Hand protection: Gloves are not normally required.

Eye protection: Safety glasses should be worn.

Skin protection: Protective equipment is not normally required.

Hygiene measures: Observe good industrial hygiene practices. Wash after handling.

Note: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|-----------------------------------|----------------------------------|--------------------------------|-------------------|
| <u>Appearance:</u> | Clear Liquid | <u>Viscosity@25°C:</u> | 5,000 – 8,000 cps |
| <u>Colour:</u> | Colourless | <u>Melting/Freezing Point:</u> | Not determined |
| <u>Odour:</u> | Mild | <u>Initial Boiling Point:</u> | 211°C @ 760 mmHg |
| <u>Odour Threshold:</u> | Not determined | <u>Boiling Range:</u> | Not determined |
| <u>Flash Point:</u> | 77°C (Pensky-Martens closed cup) | <u>Explosive Properties:</u> | No |
| <u>Flammability:</u> | Not determined | <u>Vapour Pressure @25°C:</u> | 0.015 kPa |
| <u>Flammability Limits:</u> | Lower Limit – 0.70% | <u>Vapour Density</u> | Not determined |
| <u>Auto-ignition Temperature:</u> | 392°C | <u>Partition Coefficient</u> | > 5 |
| <u>Decomposition Temperature:</u> | Not determined | <u>pH:</u> | Not determined |
| <u>Specific Gravity @25°C:</u> | 0.96 | <u>Oxidising Properties:</u> | No |
| <u>Solubility in Water:</u> | Insoluble | <u>Evaporation Rate:</u> | < 1 |

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: None known.

Incompatible Materials: Strong oxidizing material can cause a reaction.

Hazardous Decomposition Products: The following decomposition products may form during fire or at very high temperatures: Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE:

| | |
|---------------------|-----------------------|
| Respiratory: | Exposure is expected. |
| Oral: | Exposure is expected. |
| Eye, Skin: | Exposure is expected. |

INFORMATION ON THE HEALTH HAZARDS:

| | |
|--|---|
| Acute Toxicity: | D5 - LC50: (rat) Inhalation 6 8.67 mg/l : 4hr dust/mist |
| Eyes: | Direct contact may cause temporary redness and discomfort. |
| Skin: | No significant irritation expected from a single short-term exposure. |
| Inhalation: | No significant irritation expected from a single short-term exposure. |
| Ingestion: | Low ingestion hazard in normal use. |
| Chronic Toxicity: | |
| Skin: | No known applicable information. |
| Inhalation: | No known applicable information. |
| Ingestion: | Repeated ingestion or swallowing large amounts may injure internally. |
| Other Health Hazard | No known applicable information. |
| Skin Corrosion/Irritation: | No known applicable information. |
| Serious Eye Damage/Irritation: | No known applicable information. |
| Respiratory Sensitization: | No known applicable information. |
| Skin Sensitization: | No known applicable information. |
| Carcinogenicity: | No known applicable information. |
| Germ Cell Mutagenicity: | No known applicable information. |
| Reproductive Toxicity: | No known applicable information. |
| Specific Target Organ: (Systemic Toxicity 6 Single exposure) | No known applicable information. |
| Specific Target Organ: (Systemic Toxicity 6 Repeated exposure) | No known applicable information. |
| Aspiration Hazard: | No known applicable information. |

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Environmental Effects

Acute: No adverse effects on aquatic organisms.
Chronic: No adverse effects on aquatic organisms.

PERSISTENCE AND DEGRADABILITY:

Degradation: In soil, siloxanes are degraded.
Environmental Fate and Distribution: Siloxanes are removed from water by sedimentation sewage or binding to sludge.

BIOACCUMULATIVE POTENTIAL:

Bioaccumulation: No bioaccumulation potential.

MOBILITY IN SOIL:

None known.

OTHER ADVERSE EFFECTS:

None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Product Disposal: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

Packaging Disposal: Dispose of in accordance with local regulations.

SECTION 14. TRANSPORTATION INFORMATION

AIR TRANSPORT (IATA):

Not subject to IATA regulations.

SEA TRANSPORT (IMDG):

Not subject to IMDG code.

ROAD / RAIL

CANADA TDG: Not subject to TDG regulations.
ADR/RID: Not subject to ADR/RID regulations.

US DOT (49 CFR 172.101): Applicable only to containers over 119 gallons or 450 liters.

Shipping Name: Combustible liquid, N.O.S. (Decamethylcyclopentasiloxane solution)
Technical Name: Contains Cyclosiloxane
Primary Class: 3
Product Identification Number: UN 1993
Packing Group: III

SECTION 15. REGULATORY INFORMATION

CHEMICAL INVENTORIES:

| | |
|----------------|---------------------------------------|
| TSCA: | All ingredients are on the inventory. |
| DSL: | All ingredients are on the inventory. |
| EINECS: | All ingredients are on the inventory. |
| AICS: | All ingredients are on the inventory. |
| IECSC: | All ingredients are on the inventory. |
| MITI: | All ingredients are on the inventory. |
| KECL: | All ingredients are on the inventory. |
| NZIoC: | All ingredients are on the inventory. |
| CSNN: | All ingredients are on the inventory. |
| PICCS: | All ingredients are on the inventory. |

CANADA

This product has been classified in accordance with the hazard criteria of the CPR, and this MSDS contains all the information required by the CPR.

WHMIS Classification: CLASS B – Division 3
CLASS D – Division 2A

USA

EPA SARA Title III Chemical Listings:

| | |
|--|---|
| Section 302 Extremely Hazardous Substances (40 CFR 355): | None |
| Section 304 CERCLA Hazardous Substances (40 CFR 302): | None |
| Section 311/312 Hazard Class (40 CFR 370): | Acute: No ; Chronic: No ; Fire: No ; Pressure: No ; Reactive: No |
| Section 313 Toxic Chemicals (40 CFR 372): | None |

Supplemental State Compliance Information

California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: **None known.**

Massachusetts / New Jersey / Pennsylvania

No ingredients regulated by MA/NJ/PA Right-to-know Laws present.

| HMIS | |
|----------|---|
| H | 1 |
| F | 2 |
| R | 0 |



KOREA

Classification and labelling in accordance with Industrial Safety and Health Law: No subject chemicals.

Chemicals controlled in accordance with Toxic Chemicals Control Act: No subject chemicals.

Hazardous Material Safety Management Act: **Classification:** Class 4: 3rd type petroleum's or non water-soluble liquids
Hazardous ranking: Hazardous rank III
Signal Word: Keep away from fire

Wastes Management Act: Product should be disposed of in accordance with Waste Management Law Article 12.

EEC

Labelling according to EEC Directive

S-phrases: S51 (Use only in well-ventilated areas)

R-phrases: NONE

GERMANY

Wassergefährdungsklasse (water hazard class) : WGK 1

SECTION 16. OTHER INFORMATION

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SDS prepared by: Raj Moonsammy
Address: Siltech Corp
225 Wicksteed Avenue
Toronto, Ontario, Canada M4H 1G5
Telephone: (416) 424-4567

First Issuing Date: November 18, 2010
Revision No.: 2
Latest Revision Date: April 24, 2013

This is the last page.